

CATERPILLAR 8 FT

3KM / KEBP0178


Contents

Section	Page
Basic engine	2
Lubrication system	
Cooling system	
Hydraulic system	
Fuel system	
Basic engine	
Basic engine	
Electrical and electronics	
Power train	
Frame, guards and enclosure	

110-1532 ADJUSTER GP-STRIKE-OFF

110-1532 ADJUSTER GP-STRIKE-OFF S/N 3JM103-UP; 3KM206-UP BASIC PART OF 109-7065, 109-7066 SCREED AR-FIXED

Drawing 1 of 1




Ref.	Part number	Description	Qty	Code	Group page
1	110-7839	JACK	4		
2	1B-1406	PIN	4		
3	3B-5311	COTTER	4		
4	7V-3715	WASHER	4		
5	112-5293	ROD	2		
6	110-7907	BUSHING	6		
7	102-2739	KEY-SQUARE	4		
8	8I-0923	COUPLING	4		
9	112-5294	PIVOT AS	4		
10	8T-5361	WASHER (5MM THK)	4		
11	6K-3632	LOCKNUT (1-8 THD)	4		
12	117-0619	KEY-RECTANGULAR	6		
13	4B-4274	WASHER (1.2MM THK)	4		

QUANTITIES SHOWN ARE THOSE REQUIRED FOR BOTH LH AND RH SIDES

134-8492 ADJUSTER GP-STRIKE-OFF

134-8492 ADJUSTER GP-STRIKE-OFF S/N 3JM103-UP; 3KM206-UP PART OF 115-1472, 115-1473 STRIKE-OFF AR AN ATTACHMENT

Drawing 1 of 1



Ref.	Part number	Description	Qty	Code	Group page
1	134-6680	JACK	4		
2	122-0154	SUPPORT AS (RH)	1		
3	122-0155	SUPPORT AS (LH)	1		
4	122-0156	PLATE	2		

134-8492 ADJUSTER GP-STRIKE-OFF (continued)


Ref.	Part number	Description	Qty	Code	Group page
5	4M-5282	BOLT (1/4-20X1.5-IN)	8		
6	8T-4205	WASHER-HARD (7.2X14.5X2-MM THK)	10		
7	6V-8185	NUT (1/4-20-THD)	8		
8	7V-3715	WASHER (28X85X8-MM THK)	4		
9	134-8276	PIVOT AS	4		
10	8T-5361	WASHER-HARD (28X49X5-MM THK)	4		
11	6K-3632	LOCKNUT (1-8-THD)	4		
12	7B-9323	PIN	4		
13	8T-4224	WASHER-HARD (8.8X16X2-MM THK)	4		
14	3B-4611	PIN-COTTER	4		
15	115-4503	ROD	2		
16	110-7907	BUSHING	6		
17	117-0619	KEY-RECTANGULAR	6		
18	102-2739	KEY-SQUARE	4		
19	8I-0923	COUPLING	4		
20	8I-0740	COUPLING GP	2		
21	165-3734	MOTOR GP-POWER ADJUSTER	2	Y	
22	4L-6454	BOLT (3/8-16X1-IN)	4		
23	8T-4896	WASHER-HARD (10.2X18.5X2.5-MM THK)	4		
24	124-1497	CABLE AS-COILED	2		
	102-8802	KIT-RECEPTACLE (2-PIN)	1		
(INCLUDES RECEPTACLE AS & WEDGE)					
	8T-8729	PIN-CONNECTOR (16-GA TO 18-GA)	1		
	9W-0852	PIN-CONNECTOR (14-GA TO 16-GA)	2		
	8T-8730	SOCKET-CONNECTOR (16-GA TO 18-GA)	1		
25	8M-2771	CLIP	2		
26	8T-8908	BOLT (1/4-20X1-IN)	2		
27	7K-1181	STRAP-CABLE	2		
28	8L-8413	STRAP-CABLE	2		

CAT codes: Y.

134-8494 ADJUSTER GP-STRIKE-OFF

134-8494 ADJUSTER GP-STRIKE-OFF S/N 3KM103-UP PART OF 154-6708 STRIKE-OFF AR AN ATTACHMENT

Drawing 1 of 1



Ref.	Part number	Description	Qty	Code	Group page
1	134-6680	JACK	4		
2	122-0154	SUPPORT AS (RH)(RH MOTOR)	1		
3	122-0155	SUPPORT AS (LH)(LH MOTOR)	1		
4	122-0156	PLATE	2		
5	4M-5282	BOLT (1/4-20X1.5-IN)	8		

134-8494 ADJUSTER GP-STRIKE-OFF (continued)


Ref.	Part number	Description	Qty	Code	Group page
6	8T-4205	WASHER-HARD (7.2X14.5X2-MM THK)	10		
7	6V-8185	NUT (1/4-20-THD)	8		
8	7V-3715	WASHER (28X85X8-MM THK)	4		
9	134-8276	PIVOT AS	4		
10	8T-5361	WASHER-HARD (28X49X5-MM THK)	4		
11	6K-3632	LOCKNUT (1-8-THD)	4		
12	7B-9323	PIN	4		
13	8T-4224	WASHER-HARD (8.8X16X2-MM THK)	4		
14	3B-4611	PIN-COTTER	4		
15	112-5293	ROD	2		
16	110-7907	BUSHING	6		
17	117-0619	KEY-RECTANGULAR	6		
18	102-2739	KEY-SQUARE	4		
19	8I-0923	COUPLING	4		
20	8I-0740	COUPLING GP	2		
21	165-3734	MOTOR GP-POWER ADJUSTER	2	Y	
22	4L-6454	BOLT (3/8-16X1-IN)	4		
23	8T-4896	WASHER-HARD (10.2X18.5X2.5-MM THK)	4		
24	124-1497	CABLE AS-COILED	2		
25	8M-2771	CLIP	2		
26	8T-8908	BOLT (1/4-20X1-IN)	2		
27	7K-1181	STRAP-CABLE	2		
28	8L-8413	STRAP-CABLE	2		

CAT codes: Y.

110-1522 CONTROL GP-THICKNESS

110-1522 CONTROL GP-THICKNESS S/N 3JM103-UP; 3KM206-UP CLOCKWISE PART OF 109-7065, 109-7066 SCREED AR-FIXED

Drawing 1 of 1



Ref.	Part number	Description	Qty	Code	Group page
1	8I-0899	TRUNNION	2		
2	8I-0902	SPACER (0.75X1.50X1-IN THK)	8		
3	1A-0075	BOLT (3/4-16X1.75-IN)	8		
4	3B-8488	FITTING-GREASE	4		
5	8I-0903	BLOCK-BEARING	2		
6	3P-8680	CUP-BEARING	4		
7	3P-8681	CONE-BEARING	4		
8	8I-0364	ROD	2		
9	1D-5120	NUT-JAM (3/4-16-THD)	2		
10	8I-0271	LOCKOUT	2		


110-1522 CONTROL GP-THICKNESS (continued)

Ref.	Part number	Description	Qty	Code	Group page
11	4B-4161	SCREW-DRIVE (NO 6X3/8-IN)	4		
12	8I-0904	SCALE-THICKNESS	2		
13	8I-0358	POINTER	2		
14	5M-3062	BOLT (3/8-16X0.75-IN)	4		
15	8T-4896	WASHER-HARD (10.2X18.5X2.5-MM THK)	4		
16	110-6222	SHAFT AS	2		
17	8I-0911	KNOB	2		
18	1D-6306	NUT (1-8-THD)	4		
19	8I-0352	HANDLE AS	2		
20	1J-8136	PIN-SPRING	2		
21	8I-0909	FILM-INSTRUCTION (MAT THICKNESS, CW TO INCREASE)	2		
22	3F-5535	SCREW-DRIVE (NO 10X0.375-IN)	2		
23	8T-8908	BOLT (1/4-20X1-IN)	2		
24	2D-6235	LOCKNUT (1/4-20-THD)	2		
QUANTITIES SHOWN ARE THOSE REQUIRED FOR BOTH LH AND RH SIDES					

119-1408 CONTROL GP-THICKNESS -COUNTERCLOCKWISE

119-1408 CONTROL GP-THICKNESS -COUNTERCLOCKWISE S/N 3KM103-UP AN ATTACHMENT

Drawing 1 of 1



Ref.	Part number	Description	Qty	Code	Group page
1	8I-0901	TRUNNION	2		
2	8I-0902	SPACER (0.75X1.50X1-IN THK)	8		
3	1A-0075	BOLT (3/4-16X1.75-IN)	8		
4	3B-8488	FITTING-GREASE	4		
5	8I-0903	BLOCK-BEARING	2		
6	3P-8680	CUP-BEARING	4		
7	3P-8681	CONE-BEARING	4		
8	8I-0364	ROD	2		
9	1D-5120	NUT-JAM (3/4-16-THD)	2		
10	8I-0271	LOCKOUT	2		
11	4B-4161	SCREW-DRIVE (NO 6X3/8-IN)	4		

119-1408 CONTROL GP-THICKNESS -COUNTERCLOCKWISE

(continued)

Ref.	Part number	Description	Qty	Code	Group page
12	8I-0904	SCALE-THICKNESS	2		
13	8I-0358	POINTER	2		
14	5M-3062	BOLT (3/8-16X0.75-IN)	4		
15	8T-4896	WASHER-HARD (10.2X18.5X2.5-MM THK)	4		
16	119-1409	SHAFT AS	2		
17	8I-0911	KNOB	2		
18	1D-6306	NUT (1-8-THD)	4		
19	8I-0352	HANDLE AS	2		
20	1J-8136	PIN-SPRING	2		
21	8I-0910	FILM-INSTRUCTION (MAT THICKNESS, CCW TO INCREASE)	2		
22	3F-5535	SCREW-DRIVE (NO 10X0.375-IN)	2		
23	8T-8908	BOLT (1/4-20X1-IN)	2		
24	2D-6235	LOCKNUT (1/4-20-THD)	2		
QUANTITIES SHOWN ARE THOSE REQUIRED FOR BOTH LH AND RH SIDES					

MANUALS-KOMATSU.COM

Complete Caterpillar PDF Parts Catalogue

3KM-KEBP0178

\$99

Buy on this catalogue page in our store.

Download instructions are sent after payment confirmation.

Buy complete PDF - \$99