

# CATERPILLAR C15

MXS / SEBP4186

## Contents

| Section                            | Page |
|------------------------------------|------|
| <a href="#">Lubrication system</a> | 2    |
| Cooling system                     |      |
| Air inlet and exhaust              |      |
| Fuel system                        |      |
| Electrical and electronics         |      |
| Basic engine                       |      |
| Basic engine                       |      |
| Electrical and electronics         |      |
| Power train                        |      |
| Hydraulic system                   |      |

121-2471 BASE GP-OIL FILTER -ENGINE

121-2471 BASE GP-OIL FILTER -ENGINE PART OF 209-8349 BASE GP-OIL FILTER ALSO AN ATTACHMENT

Arrangement composition. Follow the table links to the component drawings.


| Ref.            | Part number              | Description                 | Qty | Code | Group page |
|-----------------|--------------------------|-----------------------------|-----|------|------------|
| 1               | <a href="#">176-1363</a> | BASE GP-OIL FILTER (ENGINE) | 1   | CY   | 3          |
| 2               | <a href="#">183-3407</a> | PLUG AS                     | 1   |      |            |
|                 | <a href="#">9S-8004</a>  | PLUG (9/16-18-THD)          | 1   |      |            |
|                 | <a href="#">214-7568</a> | SEAL-O-RING                 | 1   |      |            |
| 3               | <a href="#">386-6214</a> | ADAPTER AS                  | 1   |      |            |
|                 | <a href="#">5P-3501</a>  | ADAPTER                     | 1   |      |            |
|                 | <a href="#">214-7568</a> | SEAL-O-RING                 | 1   |      |            |
| 4               | <a href="#">319-6234</a> | PLUG AS                     | 2   |      |            |
| (EACH INCLUDES) |                          |                             |     |      |            |
|                 | <a href="#">9S-9334</a>  | PLUG (1-5/16-12-THD)        | 1   |      |            |
|                 | <a href="#">238-5084</a> | SEAL-O-RING                 | 1   |      |            |
| 5               | <a href="#">8T-6765</a>  | PLUG-PIPE (1/4-18-THD)      | 1   |      |            |
| 6               | <a href="#">392-9208</a> | PLUNGER-VALVE (RELIEF)      | 2   |      |            |
| 7               | <a href="#">4N-8150</a>  | SPRING                      | 2   |      |            |

CAT codes: C, Y.

176-1363 BASE GP-OIL FILTER -ENGINE

176-1363 BASE GP-OIL FILTER -ENGINE PART OF 121-2471 BASE GP-OIL FILTER ALSO AN ATTACHMENT

Drawing 1 of 1




| Ref. | Part number | Description | Qty | Code | Group |
|------|-------------|-------------|-----|------|-------|
|      |             |             | .   |      | page  |
| 1    | 2P-4304     | STUD-HOLLOW | 1   |      |       |
| 2    | 9L-7657     | PLUG-CUP    | 2   |      |       |

209-8349 BASE GP-OIL FILTER -ENGINE

209-8349 BASE GP-OIL FILTER -ENGINE PART OF 230-4147, 241-4226 FILTER GP-ENGINE OIL FOR USE WITH THE TURBO SUPPLY LINE CONNECTION ALSO AN ATTACHMENT

Drawing 1 of 1




| Ref. | Part number | Description                        | Qty | Code | Group page |
|------|-------------|------------------------------------|-----|------|------------|
| 1    | 121-2471    | BASE GP-OIL FILTER (ENGINE)        | 1   | Y    |            |
| 2    | 153-6680    | ELBOW                              | 1   |      |            |
| 3    | 061-7540    | SEAL-O-RING                        | 2   |      |            |
| 4    | 0S-1588     | BOLT (3/8-16X1.25-IN)              | 4   |      |            |
| 5    | 5M-2894     | WASHER-HARD (10.2X18.5X2.5-MM THK) | 4   |      |            |

CAT codes: Y.

247-8255 CONNECTION GP-ENGINE OIL

247-8255 CONNECTION GP-ENGINE OIL

Drawing 1 of 1




TOP VIEW

| Ref.            | Part number | Description            | Qty | Code | Group page |
|-----------------|-------------|------------------------|-----|------|------------|
| 1               | 5P-2534     | BOLT-FLANGE HEAD       | 6   |      |            |
| 2               | 248-2856    | CONNECTOR AS           | 3   |      |            |
| (EACH INCLUDES) |             |                        |     |      |            |
|                 | 214-7566    | SEAL-O-RING            | 1   |      |            |
|                 | 9S-8002     | PLUG (7/16-20-THD)     | 1   |      |            |
|                 | 118-5068    | SEAL-O-RING            | 2   |      |            |
|                 | 234-2426    | CONNECTOR-OIL (ENGINE) | 1   |      |            |

230-1133 FASTENER GP-OIL LEVEL GAUGE

230-1133 FASTENER GP-OIL LEVEL GAUGE S/N MXS323-99999; NXS1-UP FOR USE WITH LEFT HAND REAR OIL GUIDE GROUP, WHEN NO BLOCK GROUND STUD IS CALLED FOR

Drawing 1 of 1




| Ref. | Part number | Description                        | Qty | Code | Group page |
|------|-------------|------------------------------------|-----|------|------------|
| 1    | 0S-0509     | BOLT (3/8-16X0.75-IN)              | 1   |      |            |
| 2    | 5M-2894     | WASHER-HARD (10.2X18.5X2.5-MM THK) | 1   |      |            |

291-4891 FASTENER GP-OIL LEVEL GAUGE

291-4891 FASTENER GP-OIL LEVEL GAUGE S/N MXS87361-99999; NX51-UP FOR USE WITH 253-0966 ALSO AN ATTACHMENT

Drawing 1 of 1




| Ref. | Part number | Description                    | Qty | Code | Group page |
|------|-------------|--------------------------------|-----|------|------------|
| 1    | 6F-7316     | BOLT (5/8-18X1-IN)             | 1   |      |            |
| 2    | 5P-8247     | WASHER-HARD (17X32X3.5-MM THK) | 1   |      |            |

4N-2481 FASTENER GP-OIL PUMP MOUNTING -ENGINE

4N-2481 FASTENER GP-OIL PUMP MOUNTING -ENGINE

Drawing 1 of 1




| Ref. | Part number | Description                        | Qty | Code | Group page |
|------|-------------|------------------------------------|-----|------|------------|
| 1    | 0L-1143     | BOLT (3/8-16X2.5-IN)               | 2   |      |            |
| 2    | 0S-1590     | BOLT (3/8-16X2-IN)                 | 1   |      |            |
| 3    | 5M-2894     | WASHER-HARD (10.2X18.5X2.5-MM THK) | 3   |      |            |

133-6353 FILLER GP-ENGINE OIL

133-6353 FILLER GP-ENGINE OIL S/N MXS1-66576 PROVIDES LEFT HAND FRONT STEEL TUBE OIL FILLER MOUNTED ON THE FRONT HOUSING, PROVIDES OIL FILLER CAP WITH CHAIN

Drawing 1 of 1




| Ref. | Part number | Description                   | Qty | Code | Group page |
|------|-------------|-------------------------------|-----|------|------------|
| 1    | 241-2942    | TUBE AS-OIL (FILLER)          | 1   | C    |            |
| 2    | 241-5645    | CAP AS-ENGINE OIL FILLER      | 1   | C    |            |
| 3    | 2B-2695     | BOLT (5/16-18X0.875-IN)       | 2   |      |            |
| 4    | 9M-1974     | WASHER-HARD (8.8X16X2-MM THK) | 2   |      |            |
| 5    | 061-9455    | SEAL-O-RING                   | 1   |      |            |

CAT codes: C.

133-6353 FILLER GP-ENGINE OIL

133-6353 FILLER GP-ENGINE OIL S/N MXS66577-99999; NXS1-UP PROVIDES LEFT HAND FRONT STEEL TUBE OIL FILLER MOUNTED ON THE FRONT HOUSING, PROVIDES OIL FILLER CAP WITH CHAIN

Drawing 1 of 1



| Ref. | Part number | Description                   | Qty | Code | Group page |
|------|-------------|-------------------------------|-----|------|------------|
| 1    | 264-4289    | TUBE-OIL FILLER (ENGINE)      | 1   | C    |            |
| 2    | 241-5645    | CAP AS-ENGINE OIL FILLER      | 1   |      |            |
| 3    | 2B-2695     | BOLT (5/16-18X0.875-IN)       | 2   |      |            |
| 4    | 9M-1974     | WASHER-HARD (8.8X16X2-MM THK) | 2   |      |            |
| 5    | 061-9455    | SEAL-O-RING                   | 1   |      |            |

CAT codes: C.

**MANUALS-KOMATSU.COM**

## **Complete Caterpillar PDF Parts Catalogue**

MXS-SEBP4186

**\$99**

Buy on this catalogue page in our store.

Download instructions are sent after payment confirmation.

**Buy complete PDF - \$99**