

# CATERPILLAR C13

NH3 / SEBP7122


## Contents

| Section                            | Page |
|------------------------------------|------|
| <a href="#">Lubrication system</a> | 2    |
| Cooling system                     |      |
| Air inlet and exhaust              |      |
| Fuel system                        |      |
| Electrical and electronics         |      |
| Basic engine                       |      |
| Basic engine                       |      |
| Basic engine                       |      |
| Power train                        |      |
| Frame, guards and enclosure        |      |
| Electrical and electronics         |      |
| Steering and brakes                |      |

260-6883 BASE GP-OIL FILTER -ENGINE, SINGLE FILTER

260-6883 BASE GP-OIL FILTER -ENGINE, SINGLE FILTER S/N PWE1-UP; H3G1-UP WITH ENGINE OIL SAMPLING VALVE Type 1 FOR USE WITH RIGHT HAND STARTER APPLICATIONS

Drawing 1 of 1




| Ref. | Part number | Description                          | Qty | Code | Group page |
|------|-------------|--------------------------------------|-----|------|------------|
| 1    | 281-8367    | BASE GP-OIL FILTER (ENGINE)          | 1   | CY   |            |
| 2    | 336-2216    | GASKET-FILTER BASE                   | 1   |      |            |
| 3    | 113-5304    | SEAL-O-RING                          | 2   |      |            |
| 4    | 134-5245    | BOLT (M10X1.5X30-MM)                 | 6   | M    |            |
| 5    | 319-6208    | ADAPTER AS                           | 1   |      |            |
|      | 5P-9617     | ADAPTER                              | 1   |      |            |
|      | 214-7568    | SEAL-O-RING                          | 1   |      |            |
| 6    | 321-8649    | VALVE AS-FLUID SAMPLING (ENGINE OIL) | 1   |      |            |
| 6A   | 8C-3446     | VALVE-SAMPLING                       | 1   |      |            |
|      | 214-7566    | SEAL-O-RING (ENGINE OIL)             | 1   |      |            |
| 7    | 6V-5839     | WASHER (11X21X2.5-MM THK)            | 6   |      |            |
| 8    | 8C-3445     | CAP-DUST                             | 1   |      |            |

CAT codes: C, M, Y.

260-6883 BASE GP-OIL FILTER -ENGINE, SINGLE FILTER

260-6883 BASE GP-OIL FILTER -ENGINE, SINGLE FILTER S/N PWE1-UP; H3G1-UP WITH ENGINE OIL SAMPLING VALVE Type 2 FOR USE WITH RIGHT HAND STARTER APPLICATIONS

Drawing 1 of 1




| Ref. | Part number | Description                          | Qty | Code | Group page |
|------|-------------|--------------------------------------|-----|------|------------|
| 1    | 530-2299    | BASE GP-OIL FILTER (ENGINE)          | 1   | CY   |            |
| 2    | 336-2216    | GASKET-FILTER BASE                   | 1   |      |            |
| 3    | 113-5304    | SEAL-O-RING                          | 2   |      |            |
| 4    | 134-5245    | BOLT (M10X1.5X30-MM)                 | 6   | M    |            |
| 5    | 319-6208    | ADAPTER AS                           | 1   |      |            |
|      | 5P-9617     | ADAPTER                              | 1   |      |            |
|      | 214-7568    | SEAL-O-RING                          | 1   |      |            |
| 6    | 321-8649    | VALVE AS-FLUID SAMPLING (ENGINE OIL) | 1   |      |            |
| 6A   | 8C-3446     | VALVE-SAMPLING                       | 1   |      |            |
|      | 214-7566    | SEAL-O-RING (ENGINE OIL)             | 1   |      |            |
| 7    | 6V-5839     | WASHER (11X21X2.5-MM THK)            | 6   |      |            |
| 8    | 8C-3445     | CAP-DUST                             | 1   |      |            |

CAT codes: C, M, Y.

281-8367 BASE GP-OIL FILTER -ENGINE

281-8367 BASE GP-OIL FILTER -ENGINE S/N PWE1-UP; H3G1-UP PART OF 260-6883 BASE GP-OIL FILTER

Drawing 1 of 1



| Ref.            | Part number | Description                  | Qty | Code | Group page |
|-----------------|-------------|------------------------------|-----|------|------------|
| 1               | 4N-8150     | SPRING                       | 2   |      |            |
| 2               | 7C-3081     | SPACER (6.88X9.53X50-MM THK) | 1   |      |            |
| 3               | 7C-3082     | RETAINER                     | 1   |      |            |
| 4               | 7C-3083     | SEAT-RELIEF VALVE SPRING     | 1   |      |            |
| 5               | 7C-3954     | SPRING AS                    | 1   |      |            |
|                 | 2N-6005     | SPRING                       | 1   |      |            |
| 6               | 392-9208    | PLUNGER-VALVE (RELIEF)       | 2   |      |            |
| 7               | 224-3405    | VALVE AS (OIL PUMP BYPASS)   | 1   |      |            |
| 8               | 281-1750    | BASE AS-OIL FILTER (ENGINE)  | 1   |      |            |
|                 | 2P-4304     | STUD-HOLLOW                  | 1   |      |            |
| 9               | 1A-2170     | SPRING-RETAINER              | 1   |      |            |
| 10              | 389-3708    | PLUG AS                      | 2   |      |            |
| (EACH INCLUDES) |             |                              |     |      |            |
|                 | 214-7568    | SEAL-O-RING                  | 1   |      |            |
|                 | 360-3679    | PLUG-CONNECTOR (9/16-18-THD) | 1   |      |            |

281-8367 BASE GP-OIL FILTER -ENGINE (continued)


| Ref.            | Part number | Description          | Qty | Code | Group page |
|-----------------|-------------|----------------------|-----|------|------------|
| 11              | 398-5601    | PLUG AS              | 1   |      |            |
|                 | 238-5081    | SEAL-O-RING          | 1   |      |            |
|                 | 360-3681    | PLUG (7/8-14-THD)    | 1   |      |            |
| 12              | 319-6234    | PLUG AS              | 3   |      |            |
| (EACH INCLUDES) |             |                      |     |      |            |
|                 | 9S-9334     | PLUG (1-5/16-12-THD) | 1   |      |            |
|                 | 238-5084    | SEAL-O-RING          | 1   |      |            |
| 13              | 6V-8359     | BOLT (M6X1X70-MM)    | 1   | M    |            |

CAT codes: M.

530-2299 BASE GP-OIL FILTER

530-2299 BASE GP-OIL FILTER S/N PWE1-UP; H3G1-UP PART OF 260-6883 BASE GP-OIL FILTER

Drawing 1 of 1



| Ref.            | Part number | Description                  | Qty | Code | Group page |
|-----------------|-------------|------------------------------|-----|------|------------|
| 1               | 4N-8150     | SPRING                       | 2   |      |            |
| 2               | 7C-3081     | SPACER (6.88X9.53X50-MM THK) | 1   |      |            |
| 3               | 7C-3082     | RETAINER                     | 1   |      |            |
| 4               | 7C-3083     | SEAT-RELIEF VALVE SPRING     | 1   |      |            |
| 5               | 7C-3954     | SPRING AS                    | 1   |      |            |
| 6               | 224-3405    | VALVE AS (OIL PUMP BYPASS)   | 1   |      |            |
| 7               | 281-1750    | BASE AS-OIL FILTER (ENGINE)  | 1   |      |            |
|                 | 2P-4304     | STUD-HOLLOW                  | 1   |      |            |
| 8               | 319-6234    | PLUG AS                      | 3   |      |            |
| (EACH INCLUDES) |             |                              |     |      |            |
|                 | 9S-9334     | PLUG (1-5/16-12-THD)         | 1   |      |            |
|                 | 238-5084    | SEAL-O-RING                  | 1   |      |            |
| 9               | 389-3708    | PLUG AS                      | 2   |      |            |
| (EACH INCLUDES) |             |                              |     |      |            |
|                 | 214-7568    | SEAL-O-RING                  | 1   |      |            |

530-2299 BASE GP-OIL FILTER (continued)


| Ref. | Part number | Description                  | Qty | Code | Group page |
|------|-------------|------------------------------|-----|------|------------|
|      | 360-3679    | PLUG-CONNECTOR (9/16-18-THD) | 1   |      |            |
| 10   | 392-9208    | PLUNGER-VALVE (RELIEF)       | 2   |      |            |
| 11   | 398-5601    | PLUG AS                      | 1   |      |            |
|      | 238-5081    | SEAL-O-RING                  | 1   |      |            |
|      | 360-3681    | PLUG (7/8-14-THD)            | 1   |      |            |
| 12   | 368-3986    | SPRING                       | 1   |      |            |
| 13   | 6V-8359     | BOLT (M6X1X70-MM)            | 1   | M    |            |

CAT codes: M.

260-6883 BASE GP-OIL FILTER -ENGINE, SINGLE FILTER

260-6883 BASE GP-OIL FILTER -ENGINE, SINGLE FILTER S/N PWE1-UP WITH ENGINE OIL SAMPLING VALVE FOR USE WITH RIGHT HAND STARTER APPLICATIONS

Drawing 1 of 1



| Ref. | Part number | Description                          | Qty | Code | Group page |
|------|-------------|--------------------------------------|-----|------|------------|
| 1    | 8C-3445     | CAP-DUST                             | 1   |      |            |
| 2    | 217-9060    | VALVE AS-FLUID SAMPLING (ENGINE OIL) | 1   |      |            |
|      | 3J-7354     | SEAL-O-RING                          | 1   |      |            |
|      | 154-9023    | VALVE-SAMPLING (ENGINE OIL)          | 1   |      |            |
| 3    | 260-6884    | BASE GP-OIL FILTER (ENGINE)          | 1   | Y    |            |
| 4    | 237-9751    | GASKET                               | 1   |      |            |
| 5    | 134-5245    | BOLT (M10X1.5X30-MM)                 | 6   | M    |            |
| 6    | 3P-0650     | SEAL-O-RING                          | 2   |      |            |
| 7    | 5P-9617     | ADAPTER                              | 1   |      |            |
| 8    | 6V-5049     | SEAL-O-RING                          | 1   |      |            |
| 9    | 6V-5839     | WASHER (11X21X2.5-MM THK)            | 6   |      |            |


CAT codes: M, Y.

## 260-6884 BASE GP-OIL FILTER -ENGINE


260-6884 BASE GP-OIL FILTER -ENGINE S/N PWE1-UP PART OF 260-6883 BASE GP-OIL FILTER

Drawing 1 of 2


REFER TO ALL ILLUSTRATIONS OF THIS  
GROUP FOR AUXILIARY VIEWS




FRONT VIEW



SECTION A-A




SECTION B-B




SECTION C-C

## 260-6884 BASE GP-OIL FILTER -ENGINE (continued)

Drawing 2 of 2



SECTION E-E



SECTION D-D

| Ref. | Part number | Description                                     | Qty | Code | Group page |
|------|-------------|-------------------------------------------------|-----|------|------------|
| 1    | 4N-8150     | SPRING                                          | 2   |      |            |
| 2    | 7C-3081     | SPACER (6.88X9.53X50-MM THK)                    | 1   |      |            |
| 3    | 7C-3082     | RETAINER                                        | 1   |      |            |
| 4    | 7C-3083     | SEAT-RELIEF VALVE SPRING                        | 1   |      |            |
| 5    | 7C-3954     | SPRING AS                                       | 1   |      |            |
| 6    | 1P-1367     | PLUNGER (RELIEF VALVE)(OIL COOLER RELIEF VALVE) | 2   |      |            |
| 7    | 224-3405    | VALVE AS (OIL PUMP BYPASS)(ENGINE)              | 1   |      |            |
| 8    | 237-9749    | BASE AS                                         | 1   |      |            |
| 8A   | 2P-4304     | STUD-HOLLOW                                     | 1   |      |            |
| 9    | 1A-2170     | SPRING-RETAINER                                 | 1   |      |            |
| 10   | 5P-7701     | SEAL-O-RING                                     | 3   |      |            |
| 11   | 6V-5049     | SEAL-O-RING                                     | 2   |      |            |
| 12   | 6V-8359     | BOLT (M6X1X70-MM)                               | 1   | M    |            |
| 13   | 9S-8004     | PLUG (9/16-18-THD)                              | 2   |      |            |
| 14   | 9S-9334     | PLUG (1-5/16-12-THD)                            | 3   |      |            |
| 15   | 9S-8006     | PLUG (7/8-14-THD)                               | 1   |      |            |
| 16   | 2M-9780     | SEAL-O-RING                                     | 1   |      |            |

CAT codes: M.

**MANUALS-KOMATSU.COM**

## **Complete Caterpillar PDF Parts Catalogue**

NH3-SEBP7122

**\$99**

Buy on this catalogue page in our store.

Download instructions are sent after payment confirmation.

**Buy complete PDF - \$99**