

# CATERPILLAR C15

TRB / SEBP4690


## Contents

| Section                            | Page |
|------------------------------------|------|
| <a href="#">Lubrication system</a> | 2    |
| Cooling system                     |      |
| Air inlet and exhaust              |      |
| Fuel system                        |      |
| Electrical and electronics         |      |
| Basic engine                       |      |
| Basic engine                       |      |
| Electrical and electronics         |      |
| Power train                        |      |

104-7995 BASE GP-OIL FILTER

104-7995 BASE GP-OIL FILTER S/N BS91-UP; TRB1-UP; JEP1-UP PART OF 275-5267 FILTER GP-ENGINE OIL

Drawing 1 of 1



| Ref. | Part number | Description | Qty | Code | Group page |
|------|-------------|-------------|-----|------|------------|
| 1    | 2P-4304     | STUD-HOLLOW | 1   |      |            |

121-2471 BASE GP-OIL FILTER -ENGINE

121-2471 BASE GP-OIL FILTER -ENGINE S/N BS91-UP; KRA1-UP; TRB3-UP; JEP1-UP PART OF 209-8349 BASE GP-OIL FILTER

Arrangement composition. Follow the table links to the component drawings.


| Ref.            | Part number              | Description                 | Qty | Code | Group page |
|-----------------|--------------------------|-----------------------------|-----|------|------------|
| 1               | <a href="#">176-1363</a> | BASE GP-OIL FILTER (ENGINE) | 1   | CY   | 4          |
| 2               | <a href="#">183-3407</a> | PLUG AS                     | 1   |      |            |
|                 | <a href="#">9S-8004</a>  | PLUG (9/16-18-THD)          | 1   |      |            |
|                 | <a href="#">214-7568</a> | SEAL-O-RING                 | 1   |      |            |
| 3               | <a href="#">386-6214</a> | ADAPTER AS                  | 1   |      |            |
|                 | <a href="#">5P-3501</a>  | ADAPTER                     | 1   |      |            |
|                 | <a href="#">214-7568</a> | SEAL-O-RING                 | 1   |      |            |
| 4               | <a href="#">319-6234</a> | PLUG AS                     | 2   |      |            |
| (EACH INCLUDES) |                          |                             |     |      |            |
|                 | <a href="#">9S-9334</a>  | PLUG (1-5/16-12-THD)        | 1   |      |            |
|                 | <a href="#">238-5084</a> | SEAL-O-RING                 | 1   |      |            |
| 5               | <a href="#">8T-6765</a>  | PLUG-PIPE (1/4-18-THD)      | 1   |      |            |
| 6               | <a href="#">392-9208</a> | PLUNGER-VALVE (RELIEF)      | 2   |      |            |
| 7               | <a href="#">4N-8150</a>  | SPRING                      | 2   |      |            |

CAT codes: C, Y.

176-1363 BASE GP-OIL FILTER -ENGINE

176-1363 BASE GP-OIL FILTER -ENGINE PART OF 121-2471 BASE GP-OIL FILTER

Drawing 1 of 1




| Ref. | Part number | Description | Qty | Code | Group page |
|------|-------------|-------------|-----|------|------------|
| 1    | 2P-4304     | STUD-HOLLOW | 1   |      |            |
| 2    | 9L-7657     | PLUG-CUP    | 2   |      |            |

209-8349 BASE GP-OIL FILTER -ENGINE

209-8349 BASE GP-OIL FILTER -ENGINE S/N BS91-UP; KRA1-UP; TRB3-UP; JEP1-UP PART OF 241-4226 FILTER GP-ENGINE OIL FOR USE WITH THE TURBO SUPPLY LINE CONNECTION

Drawing 1 of 1




| Ref. | Part number | Description                        | Qty | Code | Group page |
|------|-------------|------------------------------------|-----|------|------------|
| 1    | 121-2471    | BASE GP-OIL FILTER (ENGINE)        | 1   | Y    |            |
| 2    | 153-6680    | ELBOW                              | 1   |      |            |
| 3    | 061-7540    | SEAL-O-RING                        | 2   |      |            |
| 4    | 0S-1588     | BOLT (3/8-16X1.25-IN)              | 4   |      |            |
| 5    | 5M-2894     | WASHER-HARD (10.2X18.5X2.5-MM THK) | 4   |      |            |

CAT codes: Y.

247-8255 CONNECTION GP-ENGINE OIL

247-8255 CONNECTION GP-ENGINE OIL

Drawing 1 of 1




TOP VIEW

| Ref.            | Part number | Description            | Qty | Code | Group page |
|-----------------|-------------|------------------------|-----|------|------------|
| 1               | 5P-2534     | BOLT-FLANGE HEAD       | 6   |      |            |
| 2               | 248-2856    | CONNECTOR AS           | 3   |      |            |
| (EACH INCLUDES) |             |                        |     |      |            |
|                 | 214-7566    | SEAL-O-RING            | 1   |      |            |
|                 | 9S-8002     | PLUG (7/16-20-THD)     | 1   |      |            |
|                 | 118-5068    | SEAL-O-RING            | 2   |      |            |
|                 | 234-2426    | CONNECTOR-OIL (ENGINE) | 1   |      |            |

4N-2481 FASTENER GP-OIL PUMP MOUNTING -ENGINE

4N-2481 FASTENER GP-OIL PUMP MOUNTING -ENGINE

Drawing 1 of 1




| Ref. | Part number | Description                        | Qty | Code | Group page |
|------|-------------|------------------------------------|-----|------|------------|
| 1    | 0L-1143     | BOLT (3/8-16X2.5-IN)               | 2   |      |            |
| 2    | 0S-1590     | BOLT (3/8-16X2-IN)                 | 1   |      |            |
| 3    | 5M-2894     | WASHER-HARD (10.2X18.5X2.5-MM THK) | 3   |      |            |

241-4226 FILTER GP-ENGINE OIL

241-4226 FILTER GP-ENGINE OIL S/N BS91-UP; KRA1-UP; TRB3-UP; JEP1-UP PROVIDES OIL FILTER AND OIL FILTER BASE FOR THE STANDARD CONDITIONS CANNOT BE USED WITH BRAKESAVER OR REMOTE MOUNTED FILTER THAT HAS OIL SUPPLY CONNECTION IN OIL FILTER

Drawing 1 of 1



| Ref. | Part number | Description                             | Qty | Code | Group page |
|------|-------------|-----------------------------------------|-----|------|------------|
| 1    | 1R-1808     | FILTER-ENGINE OIL (ADVANCED EFFICIENCY) | 1   |      |            |
| 2    | 209-8349    | BASE GP-OIL FILTER                      | 1   | Y    |            |
| 3    | 0S-1608     | BOLT (3/8-16X3.75-IN)                   | 2   |      |            |
| 4    | 0S-1619     | BOLT (3/8-16X3-IN)                      | 2   |      |            |
| 5    | 129-3172    | STUD-MOUNTING (3/8-16X1.564-IN)         | 2   |      |            |
| 6    | 1A-2029     | BOLT (3/8-16X1.125-IN)                  | 4   |      |            |
| 7    | 113-5304    | SEAL-O-RING                             | 2   |      |            |
| 8    | 5M-2894     | WASHER-HARD (10.2X18.5X2.5-MM THK)      | 10  |      |            |
| 9    | 8C-5230     | SEAL-O-RING                             | 2   |      |            |

CAT codes: Y.

275-5267 FILTER GP-ENGINE OIL

275-5267 FILTER GP-ENGINE OIL S/N BS91-UP; TRB1-UP; JEP1-UP

Arrangement composition. Follow the table links to the component drawings.


| Ref.                                                                                        | Part number              | Description                             | Qty | Code | Group page |
|---------------------------------------------------------------------------------------------|--------------------------|-----------------------------------------|-----|------|------------|
|                                                                                             | <a href="#">104-7995</a> | BASE GP-OIL FILTER                      | 1   | Y    | 2          |
|                                                                                             | 208-5034                 | ADAPTER                                 | 1   |      |            |
|                                                                                             | 9M-4584                  | CONNECTOR                               | 1   |      |            |
| (CUSTOMER TO USE TO REPLACE 2P-1292 CONNECTOR WHICH IS SHIPPED IN OIL LINES GROUP 226-3901) |                          |                                         |     |      |            |
|                                                                                             | 208-5033                 | COVER                                   | 1   |      |            |
|                                                                                             | 1R-1808                  | FILTER-ENGINE OIL (ADVANCED EFFICIENCY) | 1   |      |            |
|                                                                                             | 6V-3908                  | SEAL-O-RING                             | 2   |      |            |
|                                                                                             | 238-5081                 | SEAL-O-RING                             | 1   |      |            |
| (CUSTOMER TO USE WITH 9M-4584)                                                              |                          |                                         |     |      |            |

CAT codes: Y.

223-9783 FUMES DISPOSAL GP

223-9783 FUMES DISPOSAL GP LH MOUNTED FOR USE WITH REAR BREATHER LOCATION, ALL FUEL BYPASS LINES, STABILIZING FUEL LINES

Drawing 1 of 1



| Ref. | Part number | Description              | Qty | Code | Group |
|------|-------------|--------------------------|-----|------|-------|
|      |             |                          | .   |      | page  |
| 1    | 9M-0164     | CLAMP-HOSE               | 1   |      |       |
| 2    | 161-6622    | CLIP                     | 1   |      |       |
| 3    | 207-8128    | HOSE AS (FUMES DISPOSAL) | 1   |      |       |
| 4    | 5P-2369     | CLIP (LOOP)              | 1   |      |       |

**MANUALS-KOMATSU.COM**

## **Complete Caterpillar PDF Parts Catalogue**

TRB-SEBP4690

**\$99**

Buy on this catalogue page in our store.

Download instructions are sent after payment confirmation.

**Buy complete PDF - \$99**